

THE UNIVERSITY
OF MICHIGAN

MAY 15 1965

LIBRARY

DA
670
.M64
E13
Index

no. 9-16

THE EAST MIDLAND GEOGRAPHER



INDEX TO VOLUME 2 NUMBERS 9-16 1958-1961

Reference is by Number and Page. References to Figures
are in italics.

A

- Anglo-Polish Geographical Seminar (1959), 12.45.
Axholme, Isle of, 9.41-42.

B

- Bain valley (Lincs.)
Floods (1960), 15.52-55.
Barnes, F. A., 10.3-15, 12.38-40, 13.39-43, 14.11-26, 15.20-31.
Beach
Changes on the Lincolnshire coast, 12.46-47.
Material; movement
 Apparent northward movement of Benacre Ness (Suffolk) between the sixteenth and twentieth centuries, 16.12.
 of sand marked with radioactive tracers (Caister Shoal), 16.9.
 on the east coast of England, 16.3-16.
 Orfordness, Suffolk: experiments with shingle marked with radioactive tracers, 16.11.
 Recent work on, 16.9-15.
Beeston
 an industrial satellite of Nottingham, 14.41-57
 and Stapleford U.D., location in relation to Nottingham, 14.42
 Development, 1836-1938, 4.46.
 Early development, 14.43-47.
 Industrial diversification and residential development, 14.48-50.
 Industrial expansion, 14.47-48.
 Manufacturing industry, 1958 (employment and type), 14.44.
 Statistical tables, 14.51-55.
Benacre Ness
 northward movement, 16.12, 16.12.
Bevercotes collicry, 15.51-52.
Blanket Peat—see Peat.
Book review
 G. H. Dury, *The British Isles*, 16.60-62.
Bower, Margaret, 13.22-33.
British Association for Advancement of Science, 1959 meeting, 12.45.
 Brown, Peter A., 11.37-48.

C

- Canals of Leicestershire
 and navigations, 10.28.
 Ashby Canal, 10.29.
 Charnwood Forest Canal, 10.29.
 Coal traffic to Leicester; Leicester and Wreak navigations, 1797, 10.32.
 Construction—physical and economic controls, 10.27-30.
 Decline of traffic, 10.36-38.
 Development and trade, 10.27-40.
 Early trade, 10.30-36.
 Traffic; Leicester, Wreak and Oakham navigations, 1797, 10.31.
Canwick (Lincs.), 1787 and 1908, 11.12.

- Cemented screes in Manifold valley, N. Staffs., 11.16-19.
Location of, 11.17.
- Chandler, T. J., 10.27-40, 15.32-38.
- Churnet valley (Staffs.), 14.33-40.
Generalised contour map, 14.35.
Geology, 14.34.
Glaciation, 14.38-39.
Reconstructed longitudinal profile (pre-glacial) and projected profiles across overdeepened portion, 14.37.
- Climate, urban
Leicester's heat island, surface breeze effects, 15.32-38.
Leicester, temperature traverses, 15.34.
Leicester, traverse route and recording stations, 15.33.
- Clayton, K. M., 12.3-8.
- Clifton Bridge (Nottingham), 9.45, 16.49-58.
- Clifton Brook (Derbyshire), flooding, 10.7.
- Coal
 Mining industry, Leicestershire and S. Derbyshire coalfield, 10.16-26.
 Seams used by Derbyshire ironworks, 16.17-20.
Traffic to Leicester by Leicester and Wreak navigations, 1797, 10.32.
 Underground gasification in England, 11.30-36.
Blind borehole (radial) method, 11.35.
Gallery-to-gallery method, 11.34.
Location of sites, 11.32.
- Coalfield—see under names of counties.
- Coast
 of East England.
Coastal types and incidence of erosion and accretion from Humber to Thames, 16.4.
 Movement of beach materials, 16.3-16.
 of N. Norfolk, 16.4-8.
- Corby
 Iron and steel at, 15.3-10.
Journey to work in 1947, 13.5.
 New Town, 9.44-45.
 Population change, 1951-61, 15.44.
Present hinterland for economic and social facilities and future extension, 13.12.
Service areas for certain facilities, 1947 and 1959, 13.6, 13.8.
 Urban field, 13.3-15.
- Corby area
Iron smelting centres, 15.4.
Key map, 13.4.
Population changes, 1931-51, 13.5.
- Coventry
Central area in 1937, 12.19.
Central area in 1959, 12.21.
 Rebuilding the centre of, 12.18-25.
- Crop returns of 1801
 for S. Lincolnshire, 16.43-48.

D

Darley Moor (Derbyshire), 10.6-7.

Derby

Industry and transport in, 14.3-10.

Railway modernisation, 10.46-47.

Textile and metal industries: assembly of materials and distribution of products, 14.6.

Textile and metal works recording over 50 employees, 14.3.

Derbyshire

Lead mine (Riber), 10.47-48.

Employment structure, 12.26-37.

Derbyshire, East

Coalfield and its blast furnaces since 1806, 16.18.

Iron companies; furnaces, iron mines and collieries owned by, in 1924, 16.26.

Iron companies and collieries of E. Derbys., Notts. and S. Yorks., 1938, 16.29.

Iron industry since 1780, 16.17-33.

Iron making resources and early iron industry, 16.17-19.

Iron ore and pig iron production, 1855-1880 (with Northants.), 16.25.

Iron works and collieries, 1861, 16.22.

Derbyshire, South (and Leicestershire) coalfield.

Clay industry, 12.9-17.

Clay industries in the western basin, 12.12.

Clay industries on the coalfield, 12.9.

Coal production, 10.19-23.

Distribution of coal to consumer regions, 10.24.

Coal mining industry, 10.16-26.

Engineering industries, 13.17.

Food and miscellaneous industries, 13.19.

Light industry, 13.16-21.

Major subdivisions, 10.17.

Marketing of coal, 10.23-26.

Position, 10.16.

Section (geological), west to east, 10.20.

Textile, clothing and footwear industries, 13.18.

Derbyshire, West

Flash flood in, 10.3-15.

Derwent (Derbyshire)

Denudation chronology of Derwent valley, 9.13-15.

Long profiles, 9.4.

Low terraces, 9.4.

Terraces, 9.3-15.

Terraces near Chatsworth, 9.6.

Drift

Deposits at Haddon Hall, 9.8.

Glacial, in Derwent basin, Derbyshire, 9.7-13.

Histogram of gravels of Haddon Hall Park, 9.10.

Map of Melton Mowbray area, 12.6.

Mechanical analysis of clay at Haddon Hall and Monsal Head, 9.11

Section at Haddon Hall, 9.8.

Dumbles, 10.6.

E

- Earthquake in East Midlands, 11 February, 1957 : effects, 10.41-45.
 East Midland counties (Notts., Leics. and Derbys.)
 Economic regions, 12.34.
 Employed population, 1951, 12.28.
 Percentage of employed population in each of four main groups, 12.30.
- East Midlands
 Concentration of employment in hosiery and knitwear manufacture, 1951, 9.18, 9.20.
 Earthquake effects (11 Feb., 1957), 10.41-45.
 Hosiery, 9.16-22.
 Hosiery-lace region in regional pattern of British industry, 9.26-28.
 Iron and steel, 9.45.
 Lace industry, 9.22-26.
 Political adherence, and general election of 1959, 12.38-40, 12.39.
 Recent fluctuations in milk production, 13.39-43.
 Review Area : Local Government Commission proposals, 14.58-60.
 Route of London-Yorkshire motorway, 13.34-38, 13.35.
 Underground ironstone mining, 15.61-62.
- Edwards, K. C., 11.30.36, 12.44-45, 15.39-40.
- Electricity generating stations
 Power stations and the River Trent ; a note on further developments, 14.27-32.
 Power stations, middle and lower Trent, 14.30.
 Proposed electricity generating station at Holme Pierrepont (Nottingham), 15.57-61.
 Holme Pierrepont and Ratcliffe, 14.29-31.
- England and Wales
 Milk sales and seasonality by counties, 1958-59, 13.41.
 Population changes, 1951-61, 15.41-50, 15.45.
 Trends in milk production in recent years, 13.40.
- Erosion benches
 of Derbyshire Derwent, 9.3-15.
- Erosion surfaces
 Darley Moor Surface (Derbyshire), 10.4-5.
 Melton Mowbray area, 12.5-7.

F

- Farming regions in Lincolnshire, 9.41-43.
Felixstowe, wind direction and strength, 16.13.
- Flash flood in W. Derbyshire, 10.3-15.
 Discharges, 10.13-14.
 Flooded brooks and river gauge levels on the Dove, 10.5.
 Flood sections, 10.8.
 Travels of peaks of flood, 10.12-13.
- Floods
 Flash flood in W. Derbyshire, 10.3-15.
 Horncastle and Bain valley flood, 1960, 15.52-55.
 Flooded area and isohyets, 15.52.
 Trent valley floods of January-February, 1960, 13.45-46.
- Foston Brook, 10.9-11.

G

- Gasification of coal underground in England, 11.30-36.
 Blind borehole (radial) method, 11.35.
 Gallery-to-gallery method, 11.34.
 Location of underground gasification sites, 11.32.
- Geography teaching
 Early geography teaching in a local school, 11.49.
- Gibraltar Point, Lincolnshire
 Botanical studies, 12.48-49.
 Field Research Station, 12.47-48.
 Location, and chief morphological units, 15.20.
 Mature marsh, borings and creek profiles, 15.24.
 New Marsh, 15.25-31.
 in 1951, 15.26.
 in 1959, 15.27.
 Accretion, 1951-9, and vegetation, 1959, 15.28.
 Units of development, 1960, 15.30.
 Salt marsh development, 15.20-31.
 South Salting, 1951, 15.23.
 Strip saltings, 15.22.
- Gill Memorial Award, 15.63.
- Glacial
 Deposits
 at Haddon Hall, 9.8.
 Derwent basin (Derbyshire), 9.7-13.
 Lincolnshire, 9.29-33.
- Sequence
 Lincolnshire, 9.29-40.
 Morphological features of the S.E. Wolds (Lincs.), 9.32.
 Phases of the Last Glaciation in N. Lincolnshire, 9.30.
 Sub-Chalky Boulder Clay surface in C. and W. Lincolnshire, 9.34.
- Great Britain.
 Some aspects of the location of hosiery and lace manufacture, 9.16-28.
 Employment in hosiery and knitwear manufacture, 1951, 9.17.
 Employment in lace manufacture, 1951, 9.23.
- Grigg, D. B., 16.43-48.

H

- Harris, A., 15.11-19.
- Heathcoat (lace manufacturer), 9.24-25.
- Hilton Brook, 10.11.
- Holme Pierrepont
 Proposed electricity generating station, 15.57-61.
 Site and pollution zones, 15.58.
- Holmes, W. D., 10.16-26, 12. 9-17, 13.16-21.
- Holwell syncline (Leics.), 12.4-5.
- Horncastle and Bain valley floods, 1960, 15.52-55.
 Flooded area and isohyets, 15.52.

Hosiery manufacture

in Great Britain (with lace); some aspects of location, 9.16-28.

in Great Britain (with knitwear)

distribution, 9.16-19.

concentration in East Midlands, 9.19-22.

employment in 1951, 9.17.

employment in 1951; the East Midland concentration, 9.18.

Humber

Ferries and the rise of New Holland, 1800-1860, 15.11-19.

River in the vicinity of Hull, 15.11.

Humboldt and Ritter centenary, 12.44-45.

I

Instability line, 14.11-26.

International Geographical Congress (19th, 1960), 14.61-62.

Iron

Companies

of Derbys. and Notts., 1924; furnaces, iron mines and collieries owned by, 16.26.

of Derbys. and collieries of E. Derbys., Notts. and S. Yorks., 1938, 16.29.

Industry

of Derbyshire, since 1780, 16.17-33.

early, of E. Derbyshire, 16.17-19.

Ironworks and collieries of Derbyshire and Notts., 1861, 16.22.

and steel

in East Midlands, 9.45.

at Corby, 15.3-10.

Ore

of E. Derbyshire, 16.17-18.

for Derbyshire iron industry, 16.21-25.

and pig iron production of Derbyshire and Northants, 1855-1880, 16.25.

Resources of Corby area, 15.4-6.

Ironstone mining, underground, 15.61-62.

Irvine valley, Scotland

Lace industry, 9.25-26.

Ise valley and Northampton,

Population of, 1801-1951, 11.20-29.

Total population 1861 and growth 1801-61, 11.23.

Total population 1901 and growth 1861-1901, 11.25.

Total population 1931 and growth 1901-31, 11.27.

J

Johnson, R. H., 9.3-15.

K

Kidson, C., 16.3-16.

King, C. A. M., 14.33-40, 15.20-31.

Knitwear—see hosiery.

Lace

Aspects of location of manufacture (with hosiery) in Great Britain, 9.15-28.

Book notice (Varley), 11.50.

Employment in manufacture, 1951, 9.23.

in the East Midlands, 9.22-26.

Industry in Irvine valley, Scotland, 9.25-26.

Industry in Nottingham, 9.24-25.

Lead mine (Riber, Derbyshire), 10.47-48.

Lees, G., 10.41-45.

Leicester

Heat island; surface breeze effects, 15.32-38.

Leicestershire

Canals

and navigations, 10.28.

Construction—physical and economic controls, 10.27-30.

Development and trade, 10.27-40.

Coal traffic to Leicester; Leicester and Wreak navigations 1797, 10.32.

Traffic; Leicester, Wreak and Oakham navigations, 1797, 10.31.

Coalfield (with S. Derbyshire).

Clay Industries, 12.9

in the western basin, 12.12.

Clay industry, 12.9-17.

Coal mining industry, 10.16-26.

Coal production, 10.19-23.

Distribution of coal to consumer regions, 10.24.

Engineering industries, 13.17.

Food and miscellaneous industries, 13.19.

Light industry, 13.16-21.

Major subdivisions, 10.17.

Marketing of coal, 10.23-26.

Position, 10.16.

Section, west to east (geological), 10.20.

Textiles, clothing and footwear industries, 13.18.

Employment structure, 12.26-37.

Lincoln

Rural settlement round, 11.3-15.

Dispersion of rural settlement round, since 1750, 11.6-9.

District, location map, 11.4.

Lincolnshire

Glacial sequence, 9.29-40.

Farming regions, 9.41-43.

Central and west; sub-Chalky Boulder Clay surface, 9.34.

Coast

Beach changes, 12.46-47.

Movement of beach material, 16.6-7.

(See also Gibraltar Point).

South

- Crop returns, 1801, 16.43-48.
- Distribution of grain crops in 1801, 16.45.*
- Distribution of fodder crops in 1801, 16.46.*
- Simplified geology, solid and drift, 16.44.*

Wolds

- Drifts on and around, 9.29-32.
- South-east, morphological features of, 9.32.*

Local Government Commission

- Draft proposals for East Midland Review Area, 14.58-60.

London-Yorkshire Motorway

- Route through East Midlands, 13.34-38, 13.35.

M

Mackinder, Centenary in the E. Midlands, 15.39-40.

Manifold valley, N. Staffs.,

- Cemented screes, 11.16-19.

- Location, 11.17.*

- Diagrammatic section across, 11.18.

Melton Mowbray area

- Drift map, 12.6.*

- Erosion surfaces, 12.5-7.

- Geomorphology, 12.3-8.

- Major morphological features, 12.3.*

Metheringham (Lincs.), a heath and fen parish, 1824 and 1883-88; dispersal of settlement, 11.10.

Milk production

- Recent fluctuations in; experience of E. Midlands, 13.39-43.

- Milk sales and seasonality by counties (England and Wales), 1958-9, 13.41.*

- Trends in recent years (England and Wales and E. Midlands), 13.40.*

Mills, D. R., 9.41-43, 11.3-15, 11.49-50.

Morley, C. D., 11.20-29.

Morris, P. G., 11.16-19.

Motorway, London-Yorkshire

- Route through East Midlands, 13.34-38, 13.35.

N

Newer drift, extent in Lincolnshire, 9.36-37.

New Holland

- The rise of, 1800-1860, 15.11-19.
- in 1886, 15.17.*

Newman Spinney (coal gasification site), 11.31-35.

Noe river (Derbyshire)

- Low terraces and long profile, 9.4.*

- Valley gravels, 9.12-13.

Northampton and the Ise valley

- Population 1801-1951, 11.20-29.

- Total population 1861 and growth 1801-1861, 11.23.*

- Total population 1901 and growth 1861-1901, 11.25.*

- Total population 1931 and growth 1901-1931, 11.27.*

Northamptonshire

Density of population 1801, 11.20.

Density of population 1951, 11.21.

Intercensal change of population 1931-19 51, 11.28.

Iron ore and pig iron production (with Derbys.) 1855-1880, 16.25.

Main centres of population change 1801-19 51, 11.22.

Nottingham

Accessibility by bus, 11.42.

Banks, 16.34-38.

Bridges over the Trent; location, 16.50.

Bus fares to the city centre, 11.43.

Climate

The summer of 1959, 12.41-43 (at Woodthorpe).

Exceptional summers, 12.42-43.

Company promotions (Players, Humber, Raleigh, Boots), 16.38-41.

Employment structure, 12.26-37.

Local accessibility, 11.37-48.

Maximum daily frequency of bus services to city boundary, 11.39.

Meteorological records, 14.60-61.

Sources of capital in industrial development, 16.34-42.

Speed of bus services, 11.40.

Traffic flow at Trent and Clifton bridges, 20 June, 1961, 16.54.

Traffic problem, 15.55-56.

Trent and Clifton bridges, road traffic census, 16.49-50.

Nottinghamshire

Employment structure (with Leics. and Derbys.) 12.26-37.

Oil production, 10.47.

Wolds, 12.7.

O

Obituary

Mr. G. J. Cons, 13.46.

Oil production

in Nottinghamshire, 10.47.

discoveries east of the Trent, 13.44.

Oilfields of the East Midlands, 13.44.

Orfordness, Suffolk

Experiments on movement of beach material, 16.9-12.

Experiments with shingle marked with radioactive tracers, 16.11.

Osborne, R. H., 13.34-38, 15.41-50, 16.49-58.

P

Peat erosion

in the S. Pennines, 13.22-33.

distribution of active erosion between Longdendale and Edale, 13.23.

distribution of active erosion in Axe Edge-Black Hill district near Buxton, 13.24.

Development of mud pools on the flat surface of deep peat, 13.25 (opposite) (*Plate*).

Extensive and advanced Type 1 dissection on Bleaklow plateau, 13.24/25 (opposite) (*Plate*).

Extensive development of two types of peat dissection on western part of Kinderscout plateau, 13.24 (opposite) (*Plate*).

Extensive peat development on the lower moors between the Ashop and Alport valleys, 13.24/25 (opposite) (*Plate*).

Nature and development of a marginal peat face, 13.28, 13.29.

Relationship between the two types of dissection, 13.27.

Pennines, southern

Erosion of blanket peat, 13.22-33.

Pocock, D. C. D., 13.3-15, 15.3-10.

Polish Festival at University of Nottingham (1960), 14.58.

Population changes in England and Wales 1951-61, 15.41-50, 15.45.

Potter, H. R., 10.3-15.

Power stations—See Electricity Generating Stations.

Pre-cold frontal squall lines, 14.16-18.

Prentice, J. E., 11.16-19.

R

Radioactive tracers and movement of sand and shingle, 16.9-12.

Railway modernisation and Derby, 10.46-47.

Ratcliffe-on-Soar power station site, 14.29.

Rawstron, E. M., 9.16-28, 14.27-32.

Rees, Henry, 12.18-25.

Riber lead mine (Derbyshire), 10.47-48.

Ritter and Humboldt centenary, 12.44-45.

Rural settlement; development round Lincoln, 11.3-15.

S

Salt marsh

Development at Gibraltar Point, Lincs., 15.20-31.

Mature salt marsh, 15.22-25, 15.23, 15.24.

New marsh, 15.25-31, 15.26, 15.27, 15.28, 15.30.

Strip saltings, 15.21-22, 15.22.

Smith, D. M., 12.26-37, 14.41-57.

Snelston Brook (Derbyshire), 10.7-9.

Flood sections, 10.8.

South Derbyshire coalfield—See Leicestershire coalfield.

Squall line, 14.16-24.

Straw, Allan, 9.29-40.

T

Terraces

- of Derbyshire Derwent, 9.3-15.
- of *Derwent near Chatsworth*, 9.6.
- of Witham, 9.37-39, 9.38.
- Hemingby, Martin and Southrey terraces, 9.37-39.
- Ambergate terrace, 9.6.
- Great Rowsley terrace, 9.6.
- Hathersage terrace, 9.5.
- Hope terrace, 9.5.
- Long profiles and low terraces of the Noe, Derwent and Wye*, 9.4.
- Low terraces of the Derwent, Noe and Wye*, 9.4.
- Thunder rains of 1 July, 1952, in N. Midlands, 14.11-26.
- Rainfall amounts and movement of instability line*, 14.18.
- Rainfall distribution and movement of thunderstorm cells*, 14.20.
- Surface isobaric charts*, 14.11.
- Synoptic charts, evening of 1 July, 1952*, 14.15.
- Thunderstorm area and patterns of temperature, humidity, pressure change and weather*, 14.13.
- Upper charts and changes in temperature and humidity stratification*, 14.14.
- Thunderstorm cell development, 14.19-23.
- Thunderstorms of 5-6 August, 1957, 10.3-4.
- Thurlby, Lincs.; a clay vale parish, 1729, 1828 and 1904*, 11.8.
- Tinn, Arnold B., 12.41-43.
- Tornado, 14.23-24.
- Trent bridge (and Clifton bridge) Nottingham
- Road traffic census, 16.49-58.
- Trent, river and power stations, 14.27-32.
- Power stations, middle and lower Trent*, 14.30.
- Trent valley floods of Jan.-Feb., 1960, 13.45-46.
- Turton, B. J., 14.3-10.

U

- Urban field of Corby, 13.3-15.

V

- Varley, D. E., 11.50.

W

- Warren, K., 16.17-33.
- Waters, R. S., 9.3-15.
- Wind, strength and direction analysis for Felixstowe*, 16.13.
- Witham terraces, 9.37-39, 9.38.
- Wreak (Leics.) anticline, 12.4-5.
- Wye river (Derbyshire)
- Low terraces and long profiles*, 9.4.

re
ty

